

Flexible Spill Containment

Essential





Start with the EssentialSM



A Growing Justrite Family

In recent years we have grown, expanding Justrite Safety Group through the acquisition of other strong, valuable companies. Because of these exciting changes, we want to share our story with you—one of an unrivalled safety portfolio, expertise in environmental protection, a global network of brands, and a steadfast dedication to our customers' safety.

Start with the EssentialSM

The essence of our company is captured in a new tagline: Start with the EssentialSM. At Justrite, everything starts with safety. Protecting people, property and the planet is our first and greatest responsibility. We provide the essential safety products you need to protect your workers and workplace.

Our company logo has recently evolved. The new logo honours our heritage in fire safety, while reflecting our expertise in containment and environmental protection.



Justrite Safety Group offers industrial safety solutions and expert advice from our portfolio companies around the world.

We cover every facet of the industrial safety landscape—from the storage, containment and clean-up of hazardous materials to motion safety and emergency showers.

Whatever your needs, we can help you build the foundation of a safe, productive workplace.



Flexible Spill Containment



Flexible Spill Containment

Why do I need spill containment?

Hazardous leaks and spills are a relentless challenge. Slippery floors indoors can lead to a fall accident with associated costs and severe time lost. In addition to the damaging effects to our environment, EPA fines for contamination of our outdoors can be staggering. By using Justrite spill control products, accidents and costly fines can be easily avoided.

Good spill containment practices offer these benefits:

- Keeps personnel and the environment protected
- Supports corporate and government sustainability initiatives
- Saves money by reclaiming spilled liquids
- Enhances your safety program, raises employee awareness
- Improves your company image—shows your commitment to employees and the environment
- Increases efficiencies by keeping materials organized
- Complies to laws and avoids fines—meets or supports EPA and SPCC (Spill Prevention, Control, and Countermeasure) regulations

Flexible containment

Flexible containment products are typically made of durable PVC coated fabric which folds down and stores compactly for easy portability and emergency use. They can be used indoors or out and capture anything from small leaks and drips to large-scale spills up to 22,187 litres. Patented Rigid-Lock QuickBerms® feature vehicle drive-in, drive-out capability, and offer fast, one-piece set up.



Rigid-Lock QuickBerm® offers immediate, secure deployment and no-worry, spill-readiness. Made in the Netherlands.

Quick-deploy design for permanent or temporary spill control



No assembly needed—saves time, ready in minutes!




A simple tug locks supports in upright position.




Rigid-Lock technology

Patented wall-support design maximizes inside berm space and reduces tripping hazards on the berm perimeter. They lock the sidewalls in a 30-cm high, 90° vertical position for strong structural integrity. Sidewalls lower quickly for easy drive-in and -out. Encased in protective nylon hub and in down position, support withstands vehicle traffic with 5000 kg of tire weight at each tire. Hub includes integrated holes to accept anchors (anchors not included).



CriticalCorner™

Reinforced CriticalCorner™ design featuring wraparound diagonal radio frequency welds using electromagnetic energy and pressure creates a permanent, impenetrable bond for 100% leakproof containment. Prevents billowing, unwrapping, or sagging of the corners during full containment for fluid-tight reliability. Walls include a 25-mm fray-resistant finished hem along the top rim for added wall strength and integrity. Seam seals prevent air, gas, vapours or fluids from either entering or escaping the berm.



Chemical Resistance

Modified PVC coated fabric withstands a broad range of chemicals including petroleum, oils, grease, and most acids—durable enough for extended wear. Exceptionally strong structural integrity. Withstands long-term UV exposure—great for outdoor use. Visit justrite.com for chemical compatibility charts to ensure performance and longevity.

Flexible Spill Containment



Rigid-Lock QuickBerm® XT

Heavy-duty drive-in long-term spill containment for vehicles, heavy equipment and tankers

- Modified PVC coated fabric is thicker and more robust for frequent vehicle traffic and heavy applications
- Highly chemical resistant and withstands long-term UV exposure – great for outdoor use
- Patented Rigid-Lock stainless-steel wall-support system is 30 cm deep and locks at 90° for secure, leakproof containment
- Quick and easy setup – simply push on locks to lay wall down flat for an unobstructed work space and drive through capability
- Single-piece construction with reinforced CriticalCorner™ design and radio frequency (RF) welds prevent seam leaks, provide fluid-tight reliability
- Made in The Netherlands



28504

Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Black
2252	2,4 x 3,0	30	61 x 61 x 31	28363
4240	3,0 x 4,6	30	61 x 61 x 41	28364
9501	3,7 x 8,5	30	81 x 81 x 41	28365
16978	3,7 x 15,2	30	91 x 91 x 51	28366
18321	3,7 x 16,5	30	91 x 91 x 61	28367
22183	4,3 x 17,1	30	102 x 102 x 61	28368

Note (1): For exterior dimension, add 203 mm to width and length to account for support and hub.

Note (2): When selecting a berm size, allow 305 mm at entry or exit for lowering and raising the wall.

Flexible Spill Containment

Rigid-Lock QuickBerm®

Durable drive-in spill containment for drums, IBC totes, and tanks

- Modified PVC coated fabric is suited for placing heavy materials within the working space, occasional drive-in or –out scenarios and pedestrian traffic
- Chemical resistant and withstands long-term UV exposure— great for outdoor use
- Patented Rigid-Lock integral stainless-steel wall-support system is 30 cm deep and locks at 90° for secure, leakproof containment
- Single-piece construction – patented Rigid-Lock wall-support system integral to berm provides unobstructed work space
- Quick and easy setup – no assembly required
- Integrated holes permit easy anchoring under high wind conditions. Anchor stakes not included
- Made in The Netherlands



28522

Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Black
662	1,2 x 1,8	30	61 x 61 x 13	28512
890	1,2 x 2,4	30	61 x 61 x 15	28514
1344	1,8 x 2,4	30	61 x 61 x 31	28516
1798	2,4 x 2,4	30	66 x 66 x 31	28518
2820	3,0 x 3,0	30	71 x 71 x 31	28519
4069	3,7 x 3,7	30	71 x 71 x 31	28522
5432	3,7 x 4,9	30	66 x 66 x 41	28524
6795	3,7 x 6,1	30	76 x 76 x 41	28526
7230	4,9 x 4,9	30	91 x 91 x 41	28528
9047	4,9 x 6,1	30	91 x 91 x 51	28530
11318	6,1 x 6,1	30	97 x 97 x 56	28532

Note (1): For exterior dimension, add 203 mm to width and length to account for support and hub.

Note (2): When selecting a berm size, allow 305 mm at entry or exit for lowering and raising the wall.

Rigid-Lock QuickBerm® Lite

Lightweight, portable, versatile containment berm deploys quickly for emergency spill response

- Tough PVC coated fabric provides broad UV and chemical resistance that withstands repeated usage
- Patented Rigid-Lock wall supports maximize usable space inside the berm and greatly reduce any tripping hazard around the perimeter. Stainless steel braces support wall at 90° locked position for secure, leakproof containment
- Folds down easily to a small size for storage in trucks, emergency vehicles, and spill kits
- Optional grates to help reduce contact with contaminated liquids by personnel or equipment



Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Yellow
299	1,2 x 1,2	20	41 x 31 x 13	28370
451	1,2 x 1,8	20	41 x 36 x 15	28372
602	1,2 x 2,4	20	41 x 36 x 15	28374
1204	2,4 x 2,4	20	41 x 36 x 31	28376
1507	2,4 x 3,0	20	41 x 36 x 36	28378

Note (1): For exterior dimension, add 203 mm to width and length to account for support and hub.

Note (2): When selecting a berm size, allow 305 mm at entry or exit for lowering and raising the wall.

Angle Bracket QuickBerm®

The Angle Bracket QuickBerm® secondary spill containment berm is light enough to carry but tough enough for heavy use in outdoor and challenging environments. Designed for static setups, it's ideal for applications where minimal movement is needed.

- Best for applications with limited need for vehicles to drive in/out such as for transformers, generators, metal/poly tanks, IBCs, oiling/refueling operations
- Arrives folded for easy shipping - assemble by simply slipping angle brackets into slots
- Galvanized wire angle L-brackets provided sturdy sidewall support and is lighter and safer than metal brackets
- Top 1-inch hem adds strength and prevents wall sag - reinforced corners for 100% containment
- Fuel and chemical-resistant geomembrane liner is designed to withstand contact with a wide range of chemicals, fuels, oils, and hazardous materials, ensuring compatibility with diverse storage needs
- Custom sizes available with walls from 30- to 60-cm high
- Quick and straightforward installation by simply slipping angle brackets into slots without the need for specialized tools or equipment.
- Arrives folded for easy shipping, transport and storage.



Capacity (L)	Exterior (m)	Wall Height (cm)	Folded (cm)	Black
4241	3.1 x 3.1	45.7	76 x 76 x 15	28082
6107	3.7 x 3.7	45.7	76 x 76 x 15	28083
8143	3.7 x 4.9	45.7	76 x 76 x 31	28084
10179	3.7 x 6.1	45.7	76 x 76 x 41	28085
11310	6.1 x 6.1	31	107 x 107 x 66	28081
14251	3.7 x 8.6	45.7	107 x 107 x 53	28086
18323	3.7 x 11	45.7	107 x 107 x 53	28087
21233	4.6 x 15	31	107 x 107 x 66	28080
25448	3.7 x 15	45.7	107 x 107 x 66	28088
27484	3.7 x 16	45.7	107 x 107 x 66	28089

Decon QuickBerm®

Portable multi-zone decon stations help prevent environmental contamination

- For emergency deployment, these multi-stage berms with patented interior walls create wash down zones that safely capture and contain contaminated solutions. Select from two-, three-, or four-zone models
- Lightweight PVC coated fabric provides wide range of chemical resistance. The 20-cm walls allow for easy entry and exit of the compartments. One 19-mm GHT drain fitting per zone
- Single-piece construction—patented inside wall-support system forms watertight wash down zones
- Quick and easy setup—no assembly required



Accessories:

- Optional durable, anti-slip grates keep personnel and parts away from fluids and contaminants above contaminated wash down water

Capacity (L)	Zones	Interior (m)	Wall Height (cm)	Folded (cm)	Black
1132	2	1.8 x 3.0	20	61 x 61 x 10	28570

Washdown QuickBerm®

Portable drive-through station captures contaminated water from vehicle and construction equipment wash down

- Durable vinyl coated material reinforced with radio frequencywelded, high visibility yellow runway strips that withstand drive-thru traffic, including backhoes and skid steers
- Removable 102-mm diameter foam inserts support sidewalls while 51- x 203-mm planks (not included) slide into pockets to keep end walls elevated preventing wastewater from escaping during drive-over. Simply remove foam inserts to fold material for quick and compact storage
- Two DN25 NPT fittings on each side of the berm for drainage
- Brass grommets around perimeter provide the ability to securely anchor berm during use. Anchor stakes not included
- Helps comply with EPA for storm water regulations



Capacity (L)	Interior (m)	Wall Height (cm)	Folded (cm)	Black
1609	3,0 x 5,5	10	102 x 102 x 61	28578
2840	3,7 x 7,9	10	102 x 102 x 91	28579
6815	4,3 x 16,5	10	102 x 102 x 122	28581

Note (1): For exterior dimension, add 203 mm to width and 914 mm length.

Flexible Spill Containment

Quick Berm Ground Protection Accessories

Improve berm longevity without sacrificing functionality



Ground Mats

Create a smooth, uniform deployment area with this heavy-duty woven fabric. Place under berm for improved wear resistance against rocks and construction debris.



Track Mats

Position inside the berm for extra protection along tire paths. Thick durable, black woven fabric protects the floor and walls from tire abrasion caused by skidding, turning, and braking.



Track Runners

Place this high visibility, yellow vinyl coated fabric inside the berm for moderate protection against tire abrasion.

Length (m)	Ground Mat 1.8 m Wide	Track Mat 0.9 m Wide	Track Runner 0.9 m Wide
1,8	28338	28336	28334
3	28344	28342	28340
4,9	28350	28348	28346
8,5	28356	28354	28352
17,1	28362	28360	28358

Berm Repair Kits

Repair lightly damaged berms with small holes, abrasion points or tears to maintain fluid-tight reliability and compliance.

- Scissors and Utility Knife
- Pressure Application Roller
- PVC Cement
- Sand Paper
- 10-square feet of coated fabric repair material

28327 Modified vinyl repair kit

28329 PVC coated fabric repair kit



28327

Pop-Up Pool

Economical emergency spill containment - simply unfold, shake from foam ring top, and place under leaking equipment

- Contain spills from punctured saddle tanks, or leaking drums, hydraulic lines, pipes, and machinery
- Durable vinyl fabric is 20% heavier than other models on the market, providing increased abrasion resistance and more reliable seam adhesions
- Embedded foam ring top raises containment wall as fluid level increases
- Yellow colour provides visibility and easy identification



28319

Capacity (L)	Interior Dia (m)	Wall Height (cm)	Folded (cm)	Yellow
76	0,7	30	457 x 305 x 76	28319
250	1,2	36	457 x 406 x 152	28321
379	1,3	48	610 x 610 x 76	28323
568	1,6	41	610 x 610 x 127	28325

Maintenance Spill Berms

Compact and flexible spill containment deploys instantly in the shop or field

- Quickly contain minor spills and leaks during temporary storage of drums, machine parts, batteries, and equipment
- Lightweight PVC coated fabric provides broad UV and chemical resistance
- Encased urethane foam sidewalls offer easy roll-through access without the need for a ramp
- Walls quickly spring back into place with no memory loss
- No assembly required—simply unfold and use
- Anchor berm in place using the brass grommets in each corner. Anchor stakes not included
- Order optional grates to keep products and machinery above fluid



28400 with 1642S optional grate

Capacity (L)	Interior Dia (m)	Wall Height (cm)	Folded (cm)	Yellow
19	60 x 60	5	76 x 76 x 5	28414
38	60 x 120	5	76 x 137 x 5	28416
76	120 x 120	5	76 x 76 x 15	28418
151	120 x 240	5	76 x 76 x 31	28421
167	180 x 180	5	61 x 61 x 41	28422
511	300 x 340	5	71 x 71 x 41	28424
833	300 x 550	5	76 x 76 x 41	28426
38	60 x 60	10	76 x 76 x 10	28400
76	60 x 120	10	41 x 76 x 41	28402
151	60 x 240	10	71 x 71 x 41	28404
151	120 x 120	10	51 x 61 x 41	28406
227	120 x 180	10	61 x 61 x 41	28408
303	120 x 240	10	91 x 91 x 41	28410
341	180 x 180	10	97 x 97 x 41	28412

Note: For exterior dimension on 102 mm models, add 305 mm to width and length. For exterior dimension on 51 mm models, add 152 mm to width and length.

Flexible Spill Containment



Make a Berm™ Kit

Make-A-Berm™ Kit can easily be installed on site to fit the layout without having to move existing equipment.

Connect multiple berm pieces to fit your containment area. Non-absorbent modified PVC coated fabric provides a highly resistant barrier to contain oils, gasoline, acids and other liquids.

For a liquid-proof seal, a semi-permanent installation to the floor is available with the use of polyether-based adhesive. Flexible foam inserts are crush resistant and return to their original shape with no memory loss after foot traffic or hand truck equipment use.

- Multiple Make-A-Berm components
- Straight pieces can be linked together or combined with corners to create a complete containment solution
- Easily cut the berm pieces to fit around the containment area
- Contains spills and leaks around unique equipment and situations
- Different sizes ideal for small to medium capacity containment needs



Art. Nr.	Capacity (L)	Dimensions	Weight (kg)
28465	737	15,24 m x 50,8 mm	9,5



For over a century, organizations around the world have relied on Justrite to keep their workers and workplaces safe. Justrite provides expert advice and leading industrial safety solutions to help customers meet—and exceed—compliance regulations.

Worker & Workplace Safety

- Safety & Storage Cabinets
- Safety Cans & Containers
- Smoking Receptacles
- Gas Cylinder Handling Equipment
- Drum Funnels & Equipment
- Outdoor Safety Lockers

Environmental Protection

- Spill Containment
- Secondary Containment
- Aerosol Recycling

To learn more about our full portfolio of products, please visit eu.justrite.com