

TuffTrak Ground Protection Solutions

Heavy Duty

Art. TTMSXT TuffTrak XT®

Art. Nr.	Description	Sizes	T/m ²	Weight	List Price
TTMSXTASML	TuffTrak XT® With Anti Stat Sand	2000 x 4000 x 94mm	415	350 kg	€ 3,072.30
TTMSXTASBL	TuffTrak XT® With Anti Stat Black	2000 x 4000 x 94mm	415	350 kg	€ 3,072.30
TTMSXT10ML	TuffTrak XT® Sand	2000 x 4000 x 94mm	415	350 kg	€ 3,072.30
TTMSXTPRBL	TuffTrak XT® Black	2000 x 4000 x 94mm	415	350 kg	€ 3,072.30

Art. TTASXT TuffTrak XT® Accessories

Art. Nr.	Description	Sizes	Weight	List Price
TTASXT43BL	TTXT® 4/3 Connector	110 x 90mm	1 kg	€ 61.45
TTASXT00BL	TTXT® Connector Tool	105 x 300mm	3 kg	€ 136.69
TTASXTRMP1	TTXT Ramp Universal	1793 x 480 x 98mm	415	€ 986.90
TTASXTRMP2	TTXT Ramp Connection Piece	1793 x 388 x 47mm	415	€ 432.63
TTASRFID00	TTXT RFID Tag	20 x 100mm		€ 25.08
TTASBCP000	Blank Cam Plate	110mm x 45mm	1 kg	€ 9.66

Suggested minimum 2 or 3 camlocks per mat, maximum 8

Art. TTMSXL TuffTrak XL® HD2

Art. Nr.	Description	Sizes	Weight	List Price
TTMSXL05BL	TuffTrak XL® Black	203 x 409cm x 47mm	200	€ 2,131.80
TTMSXL05WH	TuffTrak XL® Virgin	203 x 409cm x 47mm	200	€ 2,382.60

Art. TTASXL TTXL® Accessories

Art. Nr.	Description	Sizes	Weight	List Price
TTASXL2WGY	TTXL Spring Steel Connector	282 x 4mm	0,2 kg	€ 12.54
TTASACMEGY	T20 Bolt Hex Head	20 x 30mm	0,1 kg	€ 12.54
TTASXL2WGY	TTXL Standard Mild Steel Connector	282 x 4mm	0,3 kg	€ 12.54
TTASXLS112	TTXL Corner Repair Kit	120 x 120mm	4.5 kg	€ 20.06

Art. TTMSXL TuffTrak® Standard HD1

Art. Nr.	Description	Sizes	Weight	List Price
TTMSST01BL	TuffTrak® PE1000 Black	2500 x 3000 x 38mm	200	€ 1,818.30
TTMSST05BL	TuffTrak® PE500 Black	2500 x 3000 x 38mm	150	€ 1,743.06
TTMSST03BL	TuffTrak® PE300 Black	2500 x 3000 x 38mm	150	€ 1,598.85
TTMSST01WH	TuffTrak® PE1000 Virgin	2500 x 3000 x 38mm	150	€ 2,069.10

*Strap connection

Art. TTASXL TuffTrak® Accessories

Art. Nr.	Description	Sizes	Weight	List Price
TTASM16BGY	TuffTrak® M16 Bolt	16 x 30 mm	0,1 kg	€ 1.26
TTASM162GY	TuffTrak® M16 Bolt	16 x 40 mm	0,1 kg	€ 1.50
TTASM16WGY	TuffTrak® M16 Washer	16 x 20 mm	0,01 kg	€ 0.25
TTASST2WGY	TuffTrak® Steel Connector	26 x 40 mm	0,5 kg	€ 10.03
TTASST3WGY	TuffTrak® Spring Steel Connector	26 x 20 mm	0,3 kg	€ 12.54
TTASCPEB00	TuffTrak® Corner Plate/encap bolts	120 x 120mm	4,5 kg	€ 17.24

Medium Duty

Art. TTMSEM EuroMat®

Art. Nr.	Description	Sizes	Weight	List Price
----------	-------------	-------	--------	------------

TTMSEM03BL	EuroMat® Ped/Chev	1200 x 2410 x 12mm	120	35 kg	€	164.59
TTMSEM03CV	EuroMat® Chev/Chev	1200 x 2410 x 12mm	120	35 kg	€	164.59
TTMSEM03S1	EuroMat® Smooth One Side*	1200 x 2410 x 12mm	80	35 kg	€	164.59
TTMSEM03GY	EuroMat® Virgin Natural*	1200 x 2410 x 12mm	80	35 kg	€	211.93
TTMSEM07BL	EuroMat® Half track*	600 x 2410 x 12mm	120	17.5 kg	€	87.78

*standard core + tread = 20mm

EuroMat® Customization Options

Art. Nr.	Description	Sizes	Weight	List Price
TTMCEM03BL	EuroMat® Customising*	1200 x 2410 x 12mm	120	35 kg € 206.91
TTMSEM03WH	EuroMat® Virgin White/Grey*	1200 x 2410 x 12mm	120	35 kg € 237.01
TTMC000000	Custom Label Desgn Name Plate / Logos			€ 175.56

*NOTE: minimum order quantity may apply

Art. TTASEM Mat Accessories

Art. Nr.	Description	Sizes	Weight	List Price
TTASEM2WBL	2 Way Connector inc bolts	180 x 50mm		0,1 kg € 8.78
TTASEM4WBL	4 Way Connector inc bolts	180 x 180mm		0,3 kg € 17.56
TTASEMFFGY	FastFit Connector	130 x 72mm		0,4 kg € 7.52
TTASEMMPBL	Metal Plate	166 x 30mm		0,2 kg € 3.77
TTASM10BGY	Assembled Bolt Bag Qty: 25	200 x 100mm		0,8 kg € 25.08
TTASSTILGY	EuroMat® Stillage	2640 x 1240 x 1200mm		93 kg € 798.00
TTASTRAYGY	EuroMat® 2 Stillage Trays	600 x 390 x 70mm		1.5 kg € 35.11

Suggested minimum 2 or 3 connectors per mat, maximum 8

Art. TTMSEC EconoMat® LDPE Checker plate/Smooth 0 HH/4CP

Art. Nr.	Description	Sizes	Weight	List Price
TTMSECLDGY	EconoMat®	1230 x 2450 x 11mm	40	32 kg € 111.64
TTMSECLDRY	EconoMat® Yellow/Red	1230 x 2450 x 11mm	40	32 kg € 161.77
TTMSECO005	EconoMat® Metric*	1200 x 2400 x 11mm	40	30 kg € 111.61
TTMSECO004	EconoMat® Lite	1100 x 2410 x 10mm	20	25 kg € 99.07

*not available until September

Art. TTEML EuroMat Lite

Art. Nr.	Description	Sizes	Weight	List Price
TTMSEL03BL	EuroMat Lite	1200 x 2400 x 11.5mm	60	32 kg € 106.59

Fleyg Ramps

Art. TTO Ramps

Art. Nr.	Description	Sizes	Weight	List Price
TTOAFLEY10	Fleyg 100(160)	1000 x 400 x 42mm		12 kg € 337.33
TTOAFLEY75	Fleyg 75(160)	750 x 400 x 42mm		9 kg € 312.25
TTOAFLEYC2	Fleyg Corner(120)	500 x 500 x 42mm		9 kg € 312.25
TTOARAMP30	Ramp-30(75)	1000 x 250 x 30mm		4.5 kg € 48.91
TTOARAMP45	Ramp-45(66)	1000 x 250 x 45mm		7.5 kg € 56.43
TTOARAMP75	Ramp-75(66)	1000 x 300 x 75mm		10.5 kg € 102.83
TTOARAMP90	Ramp-90(96)	1000 x 300 x 90mm		12.5 kg € 119.13
TTOARAMP19	Ramp-110(48)	1000 x 300 x 110mm		14.5 kg € 124.15
TTOARAMP15	Ramp-150(60)	1000 x 300 x 150mm		17.5 kg € 144.21

Outrigger Pads

Art. TTO Outrigger Pad

Art. Nr.	Description	Sizes	Weight	List Price
TTOS40X4BL	Outrigger Pad 400x400x40	400 x 400 x 40mm	12	6,1 kg € 43.89
TTOS40X5BL	Outrigger Pad 400x400x50	400 x 400 x 50mm	15	7,6 kg € 50.16
TTOS50X5BL	Outrigger Pad 500x500x50	500 x 500 x 50mm	18	11,9 kg € 75.24
TTOS60X6BL	Outrigger Pad 600x600x60	600 x 600 x 50mm	30	20,5 kg € 119.13

GeoGrid

Art. TTG GeoGrid™

Art. Nr.	Description	Sizes	Weight	List Price
TTGSPR40BL	Geogrid™ Premium	1000 x 1000 x 40mm	500	6.4 kg € 16.93
TTGSST40BL	Geogrid™ Standard	1000 x 1000 x 40mm	400	4.4 kg € 13.67
TTGSPR40GN	Geogrid™ Premium	1000 x 1000 x 40mm	500	6.4 kg € 23.20
TTGSST40GN	Geogrid™ Standard	1000 x 1000 x 40mm	400	4.4 kg € 20.69
TTASGDEMWH	Geogrid™ Demarcation Block	90 x 60mm		0,1 kg € 1.13
TTASGDEM..*	Geogrid™ Demarcation Block	90 x 60mm		0,1 kg € 1.13
TTGGEOG01B	Shed Grid (4-pack)	500 x 500 x 40mm	350	4.4 kg € 16.93

*Other colours available on demand

CHECK ON AVAILABILITY OF ALL NON STOCK ITEMS, THESE MAY ALSO BE IN MIN ORDER QUANTITIES

NOTES

All sizes are approximate and subject to manufacturing tolerances of +/- 2%

Tonnes per /m2 is in laboratory platten testing and subject to ground conditions/CBR rating.

Ground Coverage should include mat spacing of 10mm minimum to allow for expansion and contraction.

All connecting mats should be spaced in accordance with installation guides.

Mats should not be used to bridge gaps/holes/ voids or kerbs/ large stones/rock to avoid stress points.

Speed Limits must be observed on any temporary surface, 5 mph/10kmh advised.

Users must establish for themselves the products they are using are suitable for their project

Tufftrak employees are not trained civil engineers and advice given is purely advisory.

Call for advice/site survey if required.

Breakages to be advised immediately and inspected insitu within 48 hours if a warranty claim is to be made.

All mats are warranted against breakage when used in accordance with manufacturers instructions.

We accept no liability for any loss or injury resulting from the use of our products or materials.