

Anti-Static Wires

Anti-Static Wires



Anti-Static Wires

Drum Funnels & Equipment - Accessories for Drum Handling

Prevent sparks from static electricity generated by movement and flow of flammable liquids.



- Insulated wire, 3 meters coiled, hand clamp + 6 mm terminal
- Custom length assemblies available in 1-m increments on request

Drum Funnels & Equipment - Accessories for Drum Handling

Anti-Static Wires

General

Brand	Justrite
Category	Accessories for Drum Handling
Product Number	849
Product Family	Spill Control & Environmental
Product Group	Drum Funnels & Equipment
Product Name	Anti-Static Wires
Shipping Location	Achterzeedijk 57, Unit 15, Barendrecht 2992SB, The Netherlands
Update trigger	20231129

Technical Specifications

Material Group	Wire
----------------	------

Antistatic Insulated Wire with "C" Clamp and Alligator Clip, Black

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Dimensions (cm)	Weight (kg)	Height (cm)
JDR0850500	08505	13x18	0.23	12.7

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Dimensions (cm)	Weight (kg)	Height (cm)
JDR0850600	08506	10x10	0.45	10.16

Antistatic Wire For Bonding/Grounding, With "C" Clamp 5/8 inch and Alligator Clip 5/8 inch, 3 feet.

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Dimensions (cm)	Weight (kg)	Height (cm)
JDR0850100	08501	13x18	0.45	12.7

Antistatic Wire with Hand Clamp and "C" Clamp

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Dimensions (cm)	Weight (kg)	Height (cm)
JDR0849800	08498	13x18	0.55	12.7

Antistatic Wire with Dual Alligator Clips

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Dimensions (cm)	Weight (kg)	Height (cm)
JDR0850000	08500	13x18	0.14	12.7

Antistatic Wire with Dual Hand Clamps

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Weight (kg)
JDR0849900	08499	0.6

Antistatic Insulated Wire with Hand Clamp

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Weight (kg)
JDR0849700	08497	0.5

Antistatic Wires with Dual 1/4 Inch Terminals

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Weight (kg)
JDR0850300	08503	0.5

Antistatic Wire With Hand Clamp

Art. nr.	Art. Nr. Justrite US Ref (ERP)	Weight (kg)
JDR0849600	08496	0.5