








For over 70 years, the name Notrax® has meant superior quality, service, and innovative products. Now this brand is a cornerstone of Justrite Safety Group, offering the widest selection of products to a variety of markets and applications including entrance mats, anti-fatigue/safety mats, and products designed specifically for use in professional food service environments. Notrax® offers a complete selection of floor matting options to meet any application requirement, quality expectation, and budget.

- Track record of manufacturing high quality mats for over seventy years
- All products are manufactured in ISO certified facilities
- Notrax® offers anti-fatigue matting, entrance matting, safety matting, food service matting and specialty mats designed for a variety of industries




**T28 - FINGER SCRAPE®** mats are constructed of tough SBR rubber to remain flexible while withstanding extreme cold. Thousands of tough, flexible rubber fingers sweep shoes clean while suction cups on the underside of the mat help to minimize shifting. Due to its durable construction, Finger Scrape® is the perfect year round outdoor entrance mat for schools, municipal buildings, plant entrances, and office buildings.

Material: Natural Rubber

## Features and Benefits:

- Tough rubber compound remains flexible while withstanding extreme cold
- Thousands of flexible rubber fingers sweep shoes clean
- Suction cups on the underside of the mat minimize shifting
- Molded beveled edging on all 4 sides creates a retention dam to trap moisture while reducing trip hazards

WARNING: This product can expose you to chemicals including disodecyl phthalate which is known to the State of California to cause birth defects or reproductive harm, and 2-mercaptobenzothiazole which is know to the State of California to cause cancer. For more information, visit www.P65Warnings.ca.gov



MODEL: T28

## SPECIFICATIONS

| Stock Sizes | 16"x24", 24"x32", 28"x46", 32"x39", 36"x60", 36"x72" |
|-------------|--|
| Thickness   | 3/8"   |
| Colors      | Black  |

Performance: Good Better Best Superior
Dirt Scraping
Outdoor Use
Wearability



Schools

Municipal Buildings Plant Entrances Office Buildings









Medium

Cleaning Cold Resistant Outdoor Us

## **TESTING DATA**

| Test           | Test Description               | Results                                    |
|----------------|--------------------------------|--|
| ASTM D3884     | Abrasion Resistance            | @ 1,000 cycles 1.42 grams (1.7%)           |
| ASTM C-1028-96 | Static Coefficient of Friction | Wet: 0.46<br>Dry: 0.60                     |
| ASTM D-575     | Compression Deflection         | @ 25%: 7.1 lbs./in2<br>@ 50% 32.4 lbs./in2 |
| ASTM D-1171    | Ozone (Method A)               | Very Slight Cracking                       |

<sup>\*</sup>Testing performed by an independent test laboratory.

## **NOTRAX®**

5655 West 73rd Street Chicago, IL 60638

**PHONE:** (800) 621-2802

**FAX:** (800) 322-7105

**EMAIL:** saleschicago@checkers-safety.com

www.notrax.com







Justrite Safety Group is the leading source of safety equipment for flammables and hazardous materials storage and handling, asset protection, environmental protection spill containment, absorbents, specialized chemical storage, cable management, safety showers and eye/face washes, matting, and vehicle safety equipment. Learn more at Justrite.com, Checkers-safety.com, and Notrax.com.